## THIS FILE CONTAINS REPRESENTATIVE PAGES FROM THE CLASSIFICATION ORDER REPORT

## U. S. DEPARTMENT OF COMMERCE

#### Patent and Trademark Office

## **CLASSIFICATION ORDER 1728**

MARCH 2, 1999

Project No. E-4935

## The following classification changes will be effected by this order:

•	Class	Subclasses	Art Unit	Ex'r Search Room No.
Abolished:	361	91 and 93	2836	CP4-10C17
Established:	361	91.1-91.8, 93.1-93.9	2836	CP4-10C17

## The following classes are also impacted by this order:

Classes:

257, 307 323, 324, 327, 335, 337, 338, 340, 363, 364, 374, 439

## This order includes the following:

- A. CLASSIFICATION MANUAL CHANGES;
- B. LISTING OF PRINCIPAL SOURCE OF ESTABLISHED AND DISPOSITION OF ABOLISHED SUBCLASSES;
- C. CHANGES TO THE U. S. I. P. C. CONCORDANCE;
- D. DEFINITION CHANGES AND NEW OR ADDITIONAL DEFINITIONS.

## MARCH 2, 1999

## PROJECT NO. E-4935

Project Leader:

**Emily Chan** 

Examiners:

Ronald W. Leja, Sally C. Medley

Reviewer:

**Edith Jackmon-Hunter** 

Editor:

**David Delzingaro** 

## A. CLASSIFICATION MANUAL CHANGES

Additional and modified subclasses

#### MARCH 1999

1	SAFETY AND PROTECTION OF SYSTEMS AND	46	With more than two wires
2	DEVICES	47	In a polyphase system
2	<pre>.Arc suppression at switching point   (i.e., includes solid-state switch)</pre>	48	With more than three wires
3	Synchronized or sequential opening or	49	In a single phase system
-	closing	50	With more than two wires
4	Counter electromotive force	51	.Overspeed responsive
5	with current sensitive control circuit	52	<pre>.By regulating source or load (e.g., generator field killed)</pre>
6	With voltage sensitive control	53	Prime mover control
•	circuit	54	.Load shunting by fault responsive means
. 7	With combined voltage and current		(e.g., crowbar circuit)
	sensitive control circuit	55	Disconnect after shunting
8	Shunt bypass	56	Voltage responsive
9	With sequentially inserted impedance	57	Current responsive
10	By inserting series impedance	58	.Impedance insertion
11	Nonlinear impedance	59	.Circuit automatically reconnected only
12	By arc stretching (e.g., horn gap)		after the fault is cleared
13	Shunt bypass of main switch	60	With differential voltage comparison
14	Arc blowout for main breaker contact		across the circuit interrupting
	(e.g., electromagnet, gas, fluid,	61	
	etc.)	01	Reclosing of the nonfaulty phases of a polyphase system
15	.Capacitor protection	62	.Feeder protection in distribution
16	Series connected capacitors	-	networks
17	Shunt connected capacitors	63	With current responsive fault sensor
18	.Voltage regulator protective circuits	64	With communication between feeder
19	.Superconductor protective circuits		disconnect points
20	.Generator protective circuits	65	With current and voltage responsive
21	Voltage responsive		fault sensors
22	.Compressor protective circuits	- 66	With communication between feeder
23	.Motor protective condition responsive		disconnect points
	circuits	67	.Series connected sections with faulty
24	Current and temperature		section disconnect
25	Motor temperature	68	. With communication between disconnect
26	With bimetallic sensor		points
27	With thermistor sensor	69	Pilot wire communication
28	With time delay	70 71	Constant current system
29	During energization of motor	. –	.Automatic reclosing
30	Current and voltage	72	With lockout means
31	Current	78	Including timer reset before lockout
32	Bimetallic element	74	Continuous
33	Voltage	75	With time delay before reclosing
34	Bimetallic element	76	.With phase sequence network analyzer
35	.Transformer protection	77	.Reverse phase responsive
36	With differential sensing means	78	.With specific quantity comparison means
37	With temperature or pressure sensing	79	Voltage and current
	means	80	Distance relaying
38	Transformer with structurally combined protective device	81	With communication means between disconnect points
39	With lightning arrester and fuse	82	Reverse energy responsive (e.g.,
40	With lightning arrester (e.g., spark		directional)
	gap)	83	With time delay protective means
41	With fuse	84	Reverse energy responsive (e.g.,
42	.Ground fault protection		directional)
43	Fault suppression (e.g., Petersen	85	Phase
	coil)	. 86	Voltage
44	With differential sensing in a	87	Current
400	polyphase system	88	.With specific voltage responsive fault
45	With differential sensing in a single		sensor
	phase system	& 89	With time delay protective means

<sup>#</sup> Title Change
\* Newly Established Subclass

<sup>●</sup> Indent Change & Position Change

#### MARCH 1999

	***		
	SAFETY AND PROTECTION OF SYSTEMS AND DEVICES	115	.With specific circuit breaker or control structure
	.With specific voltage responsive fault	116	Pneumatically operated circuit breaker
90	sensorOvervoltage and undervoltage	117	.High voltage dissipation (e.g., lightning arrester)
* 91.1	Overvoltage	118	Surge prevention (e.g., choke coil)
* 91.2	With resistor sensor	119	In communication systems
* 91.3	Including time delay	120	Vacuum or gas filled space discharge
* 91.4	Including photo-coupling (e.g.,	121	Fluid (e.g., mercury, quenching)
	photo-receptors, photo-emitters,	122	Electrolytic
	etc.)	123	Gas blast
* 91.5	Including P-N junction (e.g., a	124	
	diode, a zener diode, or	125	Thermal (e.g., fusible, bimetallic)
	transistor)	126	With cutout (e.g., blowout type)Current limiting material in discharge
* 91.6	With zener diode sensor	120	path natural patential in discharge
* 91.7	Protection by snubber circuitry	127	Nonlinear material (e.g., valve type)
* 91.8	Protection for thyristor	128	With plural gaps in discharge path
92	Undervoltage	129	Plural gaps with common electrode
* 93.1	.With specific current responsive fault	130	Plural gaps with common electrodePlural gaps serially connected
	sensor	131	Combined (e.g., with disconnect
* 93.2	Digital control	101	switch)
* 93.3	Rating plug	132	With line supporting insulator
* 93.4	Automatic reset after trip	133	With magnetic means (e.g.,
* 93.5	Transformer and resistor sensors		electromagnet)
* 93.6	Transformer sensor (i.e., toroidal	134	Arc stretching (e.g., blowout)
	current sensor)	135	By separating contacts
* 93.7	Resistor sensor	136	For grounding line
* 93.8	Thermal sensing	137	Horn gap
* 93.9	Current limiting	138	With resistance insertion
94	With time delay protective means	139	CONTROL CIRCUITS FOR ELECTROMAGNETIC
95	With instantaneous override		DEVICES
96	With multiple timing characteristics (e.g., short, long)	140	.Including compensation for thermal change of electromagnetic device
97	With multiple timing characteristics	141	.Including superconductivity
98	Transistorized	142	.Including housing
99	Combined thermal-electromagnetic relay	143	<ul> <li>Systems for magnetizing, demagnetizing, or controlling the magnetic field</li> </ul>
100	With semiconductor circuit interrupter	144	For lifting or holding
	(e.g., SCR, Triac, Tunnel Diode,	145	Magnetic chuck-type
101	etc.)	146	Systems for magnetic field
102	With transistor circuit interrupterWith mechanical circuit breaker		stabilization or compensation
102		147	With permanent magnet
103	.Circuit interruption by thermal sensingWith fuse	148	Calibration or permanent magnet
105	With bimetallic element	149	Demagnetizing
105	With thermistor	150	Television degaussing
107	. With thermistor . With specific transmission line (e.g.,	151.	Magnetic tape
107	guarded)	152	Including particular drive circuit
108	Plural conductors in single sheath	153	Pulse initiated
100	(e.g., compound)	154	Including means to establish plural
109	.Too large fault makes breaker inoperative	,	<pre>distinct current levels (e.g., high, low)</pre>
110	.Transient nonresponsive (e.g., ignores surge on transmission line)	155	With capacitor charging or discharging through coil
111	.Transient responsive	156	With capacitor charging or
112	.With space discharge means	4.55	discharging through coil
113	.With tuned circuit	157	.Including instrument (e.g.,
114	.With manual or automatic opening of	150	meter-relay)
	breaker and manual reclose	158	Temperature indicating instrument

<sup>#</sup> Title Change
\* Newly Established Subclass

<sup>@</sup> Indent Change & Position Change

#### MARCH 1999

			WVVCU 1999
	HOUSING OR MOUNTING ASSEMBLIES WITH DIVERSE ELECTRICAL COMPONENTS	514	With heat conductor (e.g., heat sink)
	.For electronic systems and devices	515	With common conductor (e.g., stripline)
	Plural	516	Cathode type electrode (e.g., cathode casing)
	With housing or chassis	£17	· · · · · · · · · · · · · · · · · · ·
801	Specific latching or retaining	517 518	Casing With hermetic seal
	device	519	
802	Specific alignment or guide means	520	With header, cover, or endseal
803	Interconnection details	520	Significant electrical connection means (e.g., terminals or leads)
804	Spacer details	521	With vent means
805	Matrix assembly	522	Multiple capacitors
806	Diode	523	.Solid electrolytic capacitor (e.g., dry
807	Component mounting or support means		electrolytic capacitor)
808	Mounting pad	524	Dielectric
809	With discrete structure or support	525	With significant electrolyte or
810	Plural mounting or support		semiconductor
811	With passive components	526	Paste or gel
812	With particular insulation	527	Organic salt (e.g., TCNQ)
813	Lead frame	528	Anode type electrode
814	Radio type	529	Aluminum or tantalum
815	Tube mounting	530	Wound
816	Shielding	531	With lead conductor
817	For electronic tube	532	Cathode type electrode
818	EMI	533	With significant lead
819	For relay	534	With protection means
820	For semiconductor device	535	Casing
821	For capacitor and inductor	536	With hermetic seal
822	.Contact banks	537	With header, cover, or endseal
823	.Terminal block	538	Significant electrical connection
824	With protective device or unit	-	means (e.g., terminals or leads)
825	.Support brackets	539	With potting
826	.Wire distribution (e.g., harness, rack,	540	With terminal
	etc.)	541	Multiple capacitors
827	With interconnecting cable	434	.Systems (e.g., plural cells, standby
828	With switchboard or switch		exciting voltage)
829	. Frame	435	.Current interruption type (e.g.,
830	With plurality of capacitors		circuit breaker, D.Cto-pulse
831	With cooling means		converters)
832	With switchboard or switch	436	.Rectifiers
833	.Fuse block	437	MISCELLANEOUS
834	Plural	-	*****************
835	.Fuse pullout device		FOREIGN ART COLLECTIONS
836	.For transformer	•	***************
837	.For switch or fuse	45 - 6	
500	ELECTROLYTIC SYSTEMS OR DEVICES	liter	oreign patents/nonpatent
501	.Coulometer (i.e., electrochemical timer)	reclas	ssified have been transferred tly to art collections listed
502	.Double layer electrolytic capacitor	below	. These art collections contain
503	.Liquid electrolytic capacitor	ONLY :	foreign documents/nonpatent
504	With significant electrolyte	liter	ature. [Note: The parenthetical
505	Salt solute	refere	ences in the titles refer to the
506	Ethylene glycol	aboll:	shed U.S. classifications from these art collections were
507	With depolarizer	derive	ed.]
508	Anode type electrode	L	
509	Aluminum or tantalum	•	SAFETY AND PROTECTION OF SYSTEMS AND
510	Anode riser		DEVICES (361/1)
			With specific voltage responsive fault

<sup>.</sup>With specific voltage responsive fault sensor (361/88) \* FOR 100 .. Overvoltage (361/91)

....With mounting means (e.g., anchoring means or clamping)

....With separator

...Wound

511

512

513

<sup>#</sup> Title Change \* Newly Established Subclass

<sup>€</sup> Indent Change & Position Change

CLASS 361 ELECTRICITY: ELECTRICAL SYSTEMS AND DEVICES

MARCH 1999

SAFETY AND PROTECTION OF SYSTEMS AND DEVICES (361/1)

FOR 101 With specific current responsive factors

\*FOR 101 .With specific current responsive fault sensor (361/93)

<sup>#</sup> Title Change \* Newly Established Subclass

## SOURCE CLASSIFICATION(S) OF PATENTS IN NEWLY ESTABLISHED SUBCLASSES REPORT PROJECT: E4935

Page: 1

New Classification	Number Of ORs	Source Classification	Number Of ORs
361/100	4	361/93	271
361/101	5	361/93	271
361/102	10	361/93	271
361/103	1	361/91	246
361/104	1	361/93	271
361/110	1	361/91	246
361/111	8.	361/91	246
361/113	2	361/91	246
361/117	1	361/93	271
361/119	8	361/91	246
361/120	2	361/91	246
361/128	1	361/91	246
361/130	1	361/91	246
361/18	3	361/91	246
361/56	1	361/93	271
	30	361/91	246
361/58	1	361/93	271
	4	361/91	246
361/71	1	361/93	271
361/85	1	361/93	271
361/91.1	30	361/91	246
361/91.2	27	361/91	246
361/91.3	13	361/91	246
361/91.4	7	361/91	246
361/91.5	1	361/93	271
·	43	361/91	246
361/91.6	38	361/91	246
361/91.7	9	361/91	246
361/91.8	16	361/91	246
361/92	1	361/91	246
361/93.1	1	361/91	246
	32	361/93	271
361/93.2	37	361/93	271
361/93.3	. 9	361/93	271

## DISPOSITION CLASSIFICATION(S) OF PATENTS FROM ABOLISHED SUBCLASSES REPORT PROJECT: E4935

Source Classification	Number Of ORs	New Classification	Number Of ORs
361/91	246	361/103	1
		361/110	1
		361/111	. 8
		361/113	2
		361/119	8
		361/120	2
		361/128	1
		361/130	1
		361/18	3
		361/56	30
		361/58	4
		361/91.1	30
		361/91.2	27
		361/91.3	13
•		361/91.4	7
		361/91.5	43
		361/91.6	38
		361/91.7	9
		361/91.8	16
		361/92	1
		361/93.1	1
361/93	271	361/100	4
		361/101	5
		361/102	10
		361/104	1
		361/117	1
		361/56	1
		361/58	1
		361/71	1
		361/85	1
•		361/91.5	1
		361/93.1	32
		361/93.2	37
	•	361/93.3	9
		361/93.4	17
•		361/93.5	9
		361/93.6	48
		361/93.7	29
•		361/93.8	10
		361/93.9	20

MARCH 2, 1999

Project No. E-4935

## C. CHANGES TO THE U. S. - I. P. C. CONCORDANCE

	<u>U. S</u> .	I. H	P. C.
Class	Subclass	Subclass	Notation
361	91.1	H02H	3/20
		•	9/04
	91.2	H02H	3/20
			9/04
	91.3	H02H	3/027
	91.4	H02H	3/20
			9/04
	91.5	H02H	3/20
			9/04
	91.6	H02H	3/20
			9/04
	<b>91.7</b> <sup>-</sup>	H02H	3/20
			9/04
	91.8	H02H	3/20
			9/04
	93.1	H02H	3/08
			9/02
	93.2	H02H	3/08
			9/02
	93.3	H02H	3/08
			9/02
	93.4	H02H	3/06
	93.5	H02H	3/08
			9/02
	93.6	H02H	3/08
	•		9/02
	93.7	H02H	3/08
		•	9/02
	93.8	H02H	5/04
	93.9	H02H	9/08

#### MARCH 2, 1999

#### Project No. E-4935

#### D. CHANGES TO THE DEFINITIONS (Project No. E-4935)

CLASS 257 - ACTIVE SOLID-STATE DEVICES (E.G., TRANSISTORS, SOLID-STATE DIODES)

#### **Definitions Modified**

Subclass 173:

Under SEE OR SEARCH CLASS, in the reference to Class 361

Delete:

1+ for safety and protection of systems and devices.

Insert:

91.1+ for overvoltage protection in safety and protection of systems and devices.

Subclass 212:

Under SEE OR SEARCH CLASS, in the reference to Class 361, before "subclass 198"

Insert:

subclass 91.3 for overvoltage protection with time delay, and

## MARCH 2, 1999

#### Project No. E-4935

D. CHANGES TO THE DEFINITIONS (Project No. E-4935)

CLASS 340 - COMMUNICATIONS: ELECTRICAL

## **Definitions Modified**

Subclass 527:

Under SEE OR SEARCH CLASS in the reference to Class 361, after "and

Devices"

Insert:

subclass 91.3 for overvoltage protection with time delay and

Subclass 646:

Under SEE OR SEARCH CLASS in the reference to Class 361, before "."

Insert:

and subclass 93.6 for abnormal current condition detection using transformer

sensor

#### MARCH 2, 1999

#### Project No. E-4935

#### D. CHANGES TO THE DEFINITIONS (Project No. E-4935)

## CLASS 361 - ELECTRICITY: ELECTRICAL SYSTEMS AND DEVICES

## **Definitions Abolished**

Subclasses 91 and 93

#### Reference Updates:

In	Change reference from	То
Subclass	Subclass	Subclass(es)
5, SEE OR SEARCH THIS	93	93.1+
CLASS, SUBCLASS (SSTC,S)		
31, SSTC,S	93	93.1+
57, SSTC,S	93	93.1+
63, SSTC,S	93	93.1+
87, SSTC,S	93	93.1+
94, DEFINITION (Def.)	93	93.1
100, Def.	93	93.1
102, Def.	93	93.1

#### **Definitions Established**

#### 91.1 Overvoltage:

Subject matter under subclass 88 wherein the fault sensor is responsive to an overvoltage condition.

#### MARCH 2, 1999

#### Project No. E-4935

- (1) Note. This subclass relates to protection involving overvoltage conditions which are considered to be fault conditions and not otherwise. Fault conditions are defined as those which could result in damage to the load circuit, if ignored, but do not include electrostatic discharge (ESD) event.
- (2) Note. For ESD event protection, see Class 361, subclass 56.

#### SEE OR SEARCH THIS CLASS, SUBCLASS:

- 18, for voltage regulation by sensing overvoltage conditions.
- 33, for sensing abnormal voltage conditions in motor circuits.
- 56, for load shunting by sensing an abnormal voltage condition.
- 111, for protection from transient overvoltage conditions.

#### SEE OR SEARCH CLASS:

- 257, Active Solid-State Devices, (e.g., Transistors, Solid-State Diodes), subclass 173 for device protection from overvoltage.
- 335, Electricity: Magnetically Operated Switches, Magnets, and Electromagnets, subclass 20 for automatically response to abnormal voltage condition.
- 340, Communications: Electrical, subclass 662 for humanly perceptible means responsive to overvoltage.

#### 91.2 With resistor sensor:

Subject matter under subclass 91.1 including a device offering resistance to a flow of electric current and wherein the overvoltage condition is detected across the device.

#### SEE OR SEARCH THIS CLASS, SUBCLASS:

- 5+, switch position dependent upon sensed current across a resistance.
- 31, for sensing abnormal voltage conditions in motor circuits by sensing across resistance.
- 57, for load shunting by sensing an abnormal voltage condition across resistance.
- 63+, for feeder protection with disconnect by sensing an abnormal voltage condition across resistance.
- 78+, for quantity comparisons including sensing overvoltage conditions across resistance.

#### SEE OR SEARCH CLASS:

324, Electricity: Measuring and Testing, subclass 522 for measuring resistance, per se.

#### MARCH 2, 1999

#### Project No. E-4935

338, Electrical Resistors, subclass 21 for a resistor responsive to surge voltage conditions.

#### 91.3 Including time delay:

Subject matter under subclass 91.1 wherein the overvoltage condition is detected and/or the fault is removed after a predetermined time period utilizing time delay circuitry.

#### SEE OR SEARCH THIS CLASS, SUBCLASS:

- 28+, for abnormal voltage conditions in motor circuits wherein the protective circuit responds to a fault condition after a predetermined time period.
- 195, for relay or solenoids safety or protection device including time delay.

#### SEE OR SEARCH CLASS:

- 327, Miscellaneous Active Electrical Nonlinear Device, Circuits, and Systems, subclass 392 for circuitry having a fixed or single time delay controlled switch.
- 335, Electricity: Magnetically Operated Switches, Magnets, and Electromagnets, subclass 28, for electromagnetically actuated switches with combined timing or delay means.
- 337, Electricity: Electrothermally or Thermally Actuated Switches, subclass 81 and subclass 88 for retarded or delayed action thermally actuated switch.
- 340, Communications: Electrical, subclass 527 for humanly perceptible means responsive to time delay.

## 91.4 Including photo-coupling (e.g., photo-receptors, photo-emitters, etc): Subject matter under subclass 91.1 including a means responsive to light to produce an electrical signal (i.e., photocouple) and wherein the photocoupler is utilized in the detection and/or removal of the overvoltage condition.

#### SEE OR SEARCH THIS CLASS, SUBCLASS:

173, for abnormal voltage conditions in relay circuits wherein a light responsive element is utilized in offering protection

#### SEE OR SEARCH CLASS:

324, Electricity: Measuring and Testing, subclasses 420, 556 for sensing voltage conditions involving photo-coupling, per se.

# 91.5 Including P-N junction (e.g., a diode, a zener diode, or transistor): Subject matter under subclass 91.1 comprising a P-N junction device and wherein the device is utilized in the detection and/or fault removal of the overvoltage condition (e.g., P-N threshold breakdown or transistor clamping).

(1) Note. P-N junction circuitry protection as found predominantly within the circuitry with less emphasis on substrate configurations are classified here, however, details drawn to substrate technology should be classified in Class 257.

#### MARCH 2, 1999

#### Project No. E-4935

374, Thermal Measuring and Testing, appropriate subclass for measuring and testing thermal quantities.

#### 93.9 Current limiting:

Subject matter under subclass 93.1 wherein the protective device includes a means for reducing the flow of the sensed overcurrent without interrupting the flow of current in the electrical system.

#### SEE OR SEARCH THIS CLASS, SUBCLASS:

58, for impedance insertion in series with the protected system so as to limit the current thereto.

#### SEE OR SEARCH CLASS:

323, Electricity: Power Supply or Regulation Systems, subclass 276 for limiting current to a load within a regulator system.

#### FOREIGN ART COLLECTIONS

The definitions of the Foreign Patent/NPL Art Collections below correspond to the definitions of the abolished subclasses from which these Collections were formed. See the Foreign Patent/NPL Art Collection schedule for specific correspondences.

#### FOR 100 Overvoltage:

Foreign art collections including subject matter wherein the fault sensor is responsive to an overvoltage condition.

#### FOR 101 With specific current responsive fault sensor:

Foreign art collections including subject matter wherein the fault sensor responds to an abnormal current condition in the load circuit and subsequently activates a protective device.

#### MARCH 2, 1999

#### Project No. E-4935

## D. CHANGES TO THE DEFINITIONS (Project No. E-4935)

Class 363 - ELECTRICAL POWER CONVERSION SYSTEMS

#### **Definitions Modified**

Class Definition: Under SECTION IV, REFERENCES TO OTHER CLASS, SEE OR SEARCH CLASS, in the second reference to Class 361

Delete:

93+

Insert:

93.1+

Subclass 50:

Under SEE OR SEARCH CLASS, in the reference to Class 361, before "."

Insert:

subclasses 91.1+ for overvoltage protection, and 93.1+ for abnormal current protection

#### MARCH 2, 1999

#### Project No. E-4935

D. CHANGES TO THE DEFINITIONS (Project No. E-4935)

CLASS 364 - ELECTRICAL COMPUTERS AND DATA PROCESSING SYSTEMS

#### **Definitions Modified**

Subclass 184:

Under SEE OR SEARCH CLASS in the reference to Class 361, after

"protection of devices"

#### Insert:

, and subclass 93.2 for abnormal current protection including digital control

## ALL FINAL NOS. ARE IN CLASS ?

PROJECT NO. E -4935

NUMERICALLY LISTED WORKING NO. TO FINAL NO.

WK NO	FN. NO.
4000N	91.1
4005R	91.2
4015D	91.3
4020D	91.4
4025W	91.5
4010R	91.6
4030W	91.7
4035Y	91.8
4095Y	93.1
4070E	93.2
4040Y	93.3
4060C	93.4
4090N	93.5
4050T	93.6
4045T	93.7
4065E	93.8
4055C	93.9